

INDEX MAPS.

T. 22N, R. 2W. 2nd Mer.

	64		63		63		63		63		62	
66	6	86	5	82	4	78	3	74	2	70	1	62
	88		86		82		77		73		69	
65	7	85	8	81	9	77	10	73	11	69	12	62
	88		85		81		77		73		68	
65	18	85	17	80	16	76	15	72	14	68	13	61
	87		84		80		76		72		68	
65	19	84	20	80	21	76	22	71	23	67	24	61
	87		83		79		75		71		67	
64	30	83	29	79	28	75	27	71	26	67	25	61
	87		83		78		74		70		66	
64	31	82	32	78 78	33	74	34	70	35	66	36	60
	60		60		59		59		59		59	

T. 23N, R. 2W. 2nd Mer.

	96		95		95		95		95		94	
97	6	119	5	115	4	110	3	106	2	101	1	94
	119		118		114		110		106		101	
97	7	118	8	114	9	110	10	105	11	101	12	94
	120		118		113		109		105		100	
97	18	117	17	113	16	109	15	104	14	100	13	93
	120		117		113		108		104		100	
97	19	117	20	112	21	108	22	104	23	99	24	93
	121		116		112		108		103		99	
96	30	116	29	111	28	107	27	103	26	99	25	93
	121		115		111		107		102		98	
96	31	115	32	111	33	106	34	102	35	98	36	92
	92		92		91		91		91		91	

The figures on the lines refer to the page.

91

Township N. 23 North, Range N. 2 West, 2. Mer. Ind.?

Ch. M. Township Lines.

South Boundary. Var. 6° 00' E.

West on the S. Boundary of Sec. 36

December 1. 1819

- 1.50 a Brook 10 lbs. wide course N 9 W
40.00 a Lym 30 in. dia. stands for q. sec. cor.
60.00 a Brook 8 lbs. wide course N
80.00 tot part cor. of sec. 35 & 36 from which
a Sugar 2 1/2 in. dia. bears S 22 E 7 lbs. dist. 3
a Do 9 " " " N 59 W 16 " "
Land level, timber Beech, Sugar, Ash, Oak,
Wickory, 2. rate good farming land
-

West on the S. Boundary of Sec. 35

- 30.00 a Brook 6 lbs. wide course N
40.00 tot q. sec. part from which
a Sugar 18 in. dia. bears S 26 E 34 lbs. dist. 3
a Do 10 " " " N 86 W 23 " "
80.00 tot part cor. of sec. 34 & 35 from which
a Beech 20 in. dia. bears S 8 W 32 lbs. dist. 3
a Do 9 " " " N 57 E 19 " "
Land similar, part of 1/2 mile very rich
-

West on the S. Boundary of Sec. 34

- 35.00 a Brook 3 lbs. wide course N 9 W
40.00 tot q. sec. part from which
a Lym 8 in. dia. bears S 5 W 12 lbs. dist. 3
a W. Oak 12 " " " N 21 E 28 " "
80.00 tot part cor. of sec. 33 & 34 from which
a Beech 20 in. dia. bears S 13 E 30 lbs. dist. 3
a Do 27 " " " N 61 E 38 " "
Land rich & good for farming, timber Beech,
Sugar, Ash, Walnut, Elm, Lym, Poplar &
good farming land
-

West on the S. Boundary of Sec. 33

T. 23 N., R. 2 W. 2. Mer. Ind. ^a
 Ch. Lk.

40.00 set of sec. post from which
 a Sugar 12 in. diameter S 40 E 16 Ms. dist. 8
 a Do 9 " " " N 73 W 13 " "
 80.00 set post cor. of sec. 32 & 33 from which
 a Mulberry 6 in. diameter S 20 W 25 Ms. dist. 8
 a Maple 12 " " " N 51 E 11 " "
 Land similar, small part rather wet

West on the S. Boundary of Sec. 32

8.50 a Creek 20 Ms. wide course N
 40.00 set of sec. post from which
 a Sugar 20 in. diameter S 78 E 16 Ms. dist. 8
 a Beech 24 " " " S 44 W 31 " "
 80.00 set post cor. of sec. 31 & 32 from which
 a Sugar 10 in. diameter S 27 W 24 Ms. dist. 8
 a Do 12 " " " N 44 E 22 " "
 Land similar to last mile

West on the S. Boundary of Sec. 31

40.00 set of sec. post from which
 an Elm 12 in. diameter S 27 W 10 Ms. dist. 8
 a Sugar 9 " " " N 72 E 17 " "
 80.85 Intersection Range line 32 Ms. N. of temp. corner.
 set post at intersection cor. of T. 22 & 23 N., R. 2 &
 3 W. from which
 a W. Walnut 20 in. diameter N 60 W 17 Ms. dist. 8
 a Mulberry 6 " " " S 70 E 18 " "
 1/2 mile land similar - 1/2 mile 1. st rate
 land, timber Sugar, Walnut, Ash, Buckeye &c.

East Boundary. Var. 6° 30' E.

Bearings at cor. of T. 22 & 23 N., R. 1 & 2 W
 a Sycamore 13 in. diameter N 62 W 7 Ms. dist. 8
 a Do 30 " " " N 33 E 14 " "

North on the E. Boundary of Sec. 36

40.00 set of sec. post from which

T. 23 N., R. 2 W. 2. Mer. Ind. a
Ch. L.

a Sugar 11 in. diameter N 42 W 12 lbs. dirt. 8
 a Do 10 " " " S 69 E 24 " "
 80.00 set part cor. of sec. 25 & 36 from which
 a W. Oak 27 in. diameter N 40 W 8 lbs. dirt. 8
 a Beech 9 " " " S 50 E 21 " "
 Land level, partly timbered Oak, Beech, Ash, Elm,
 Sugar. Moulding good farming land

North on the E. Boundary of Sec. 25

40.00 set of sec. part from which
 a Sugar 20 in. diameter S 51 W 5 lbs. dirt. 8
 a Beech 30 " " " N 55 E 29 " "
 44.00 a Creek 40 lbs. wide course W
 80.00 set part cor. of sec. 24 & 25 from which
 a Hickory 27 in. diameter N 73 E 8 lbs. dirt. 8
 an Elm 24 " " " S 33 W 16 " "
 Good farming land, timbered Beech, Sugar, Ash,
 Oak, Elm, Poplar

North on the E. Boundary of Sec. 24

40.00 set of sec. part from which
 a Sugar 14 in. diameter S 64 E 20 lbs. dirt. 8
 a Do 10 " " " N 82 W 9 " "
 80.00 set part cor. of sec. 13 & 24 from which
 a Sugar 30 in. diameter N 5 W 9 lbs. dirt. 8
 a Beech 10 " " " S 45 E 18 " "
 Land level, mostly good for farming, part
 wet, timbered Beech, Sugar, Walnut &c.

North on the E. Boundary of Sec. 13

29.50 a Creek 20 lbs. wide course W
 40.00 set of sec. part from which
 a Sugar 12 in. diameter S 82 E 14 lbs. dirt. 8
 a Do 18 " " " N 60 W 36 " "
 80.00 set part cor. of sec. 12 & 13 from which
 an Elm 18 in. diameter N 70 W 5 lbs. dirt. 8

94

T. 23 N., R. 2 W. 2 Mer. Ind.?

Chs. Lk?

a Hickory 9 in. diameter S 47 E 17 lbs. dit.
Land level part very rich & good for farming,
part wet

North on the E. Boundary of Sec. 12

40.00 set of sec. part from which

a Beech 12 in. diameter South 41 lbs. dit.

a Sugar 12 " " " N 80 E 29 " "

55.00 a Brook 10 lbs. wide course N W

80.00 set part cor. of sec. 1 & 12 from which

a Beech 11 in. diameter N 08 W 30 lbs. dit.

an Elm 14 " " " N 48 E 14 " "

Good farming land, timber same

North on the E. Boundary of Sec. 1

40.00 set of sec. part from which

a Sugar 9 in. diameter N 19 W 8 lbs. dit.

a Beech 9 " " " S 50 E 8 " "

76.50 a Creek 150 lbs. wide course W

79.84 Intersect Township line 513 lbs. E. of temp. Towns.

corner - set part at intersection cor. of T. 23 & 24

N, R. 1 & 2 W. from which

a W. Oak 30 in. diameter N 31 E 18 lbs. dit.

a Hickory 8 " " " S 31 W 38 " "

Land rich & good for farming.

North Boundary. Var. to 00' E.

West in the S. Boundary of Sec. 36, T. 24 N., R. 2 W

November 30. 1819

10.00 a Creek 150 lbs. wide course N W

19.00 same Creek " " S W

40.00 set of sec. part from which

a Beech 24 in. diameter N 74 W 9 lbs. dit.

a Hickory 12 " " " S 52 E 27 " "

58.00 a Creek 12 lbs. wide course S E

80.00 set part cor. of sec. 35 & 36 from which

T. 23 N., R. 2 W. 2. Sec. 35, T24N, R29W
Ch. 2. 100.

a Beech 12 in. dia. leans N 8 W 17 lbs. dia. 8
a Do 12 " " " S 48 E 20 " "
Land 2. rate, good for farming, timber Beech,
Sugar, Ash, Walnut &c.

West on the S. Boundary of Sec. 35, T24N, R29W
40.00 tot of sec. part from which

a B. Oak 30 in. dia. leans S 20 E 7 lbs. dia. 8
a Beech 18 " " " N 20 W 43 " "

80.00 tot part con. of sec. 34 & 35 from which

a Sugar 12 in. dia. leans N 38 E 23 lbs. dia. 8
a Beech 11 " " " S 73 W 15 " "

Land level 2. rate, timber Beech, Sugar, Oak,
Hickory, Ash &c. Moulding good farming land

West on the S. Boundary of Sec. 34, T24N, R29W
40.00 tot of sec. part from which

a Beech 24 in. dia. leans S 55 W 36 lbs. dia. 8
a Do 24 " " " N 55 E 3 " "

80.00 tot part con. of sec. 33 & 34 from which

a Hickory 12 in. dia. leans S 82 E 23 lbs. dia. 8
a B. Ash 5 " " " N 56 W 20 " "

Land similar, part wet

West on the S. Boundary of Sec. 33, T24N, R29W
40.00 tot of sec. part from which

a Poplar 18 in. dia. leans S 3 E 16 lbs. dia. 8
a Sugar 10 " " " N 43 E 11 " "

80.00 tot part con. of sec. 32 & 33 from which

a Spruce 18 in. dia. leans S 71 W 8 lbs. dia. 8
a W. Ash 15 " " " N 9 E 9 " "

Land same as on the last mile

West on the S. Boundary of Sec. 32, T24N, R29W
40.00 tot of sec. part from which

a Beech 12 in. dia. leans N 15 W 35 lbs. dia. 8

T. 23 N., R. 2 W. 2. Mer. Ind. a.
Chs. Chs.

a Hickory 37 in. dia. bears S 42 E 21 lbs. dist.
80.00 set post cor. of sec. 31 & 32 from which
a Beech 20 in. dia. bears N 30 W 23 lbs. dist. S
a Sugar 6 " " " S 68 E 20 " "
Land 1/2 mile similar, 1/4 mile rich &
good for farming, timber Beech, Sugar, Walnut,
Ash, Poplar &c.

West on the S. Boundary of Sec. 31, T. 24 N., R. 2 W

40.00 set of sec. post from which
an Oak 9 in. dia. bears S 52 W 11 lbs. dist. S
a Do 12 " " " N 5 W 14 " "

80.00 set temp. Township corner.
Land similar.

West Boundary. Var. 6° 15' E

North on the E. Boundary of Sec. 36, T. 23 N., R. 3 W

40.00 set of sec. post from which
a W. Oak 8 in. dia. bears S 12 W 18 lbs. dist. S
a Mulberry 8 " " " N 43 E 27 " "

48.00 enter marshy Prairie

68.00 passed Swamp

80.00 set post cor. of sec. 25 & 36 from which
an Elm 12 in. dia. bears N 21 W 5 lbs. dist. S
a W. Beech 6 " " " S 32 E 17 " "

1/2 mile nearly T. rate, 1/4 mile past swampy

North on the E. Boundary of Sec. 25, T. 23 N., R. 3 W

40.00 a Creek 70 lbs. wide course W

40.00 set of sec. post from which
a Hickory 8 in. dia. bears N 74 E 10 lbs. dist. S
a W. Oak 8 " " " S 26 E 7 " "

80.00 set post cor. of sec. 24 & 25 from which
a B. Oak 27 in. dia. bears N 60 W 34 lbs. dist. S
a Do 24 " " " S 87 E 20 " "
Land 2. rate, timber Beech, Sugar, Oak &c.

T. 23 N., R. 2 W. 2. Mer. Ind. a.

Ch. Lk.

North on the E. Boundary of Sec. 24, T. 23 N., R. 3 W.

23.00 enter swampy Prairie

31.00 passed " "

40.00 set of sec. post from which

a W. Oak 36 in. diameter N 36 W 27 Ms. dist. 8

a Do 30 " " " S 64 E 54 " "

80.00 set post cor. of sec. 13 & 24 from which

a Hickory 12 in. diameter S 85 E 48 Ms. dist. 8

a W. Oak 36 " " " S 66 W 57 " "

Land rather poor, part wet & swampy

North on the E. Boundary of Sec. 13, T. 23 N., R. 3 W.

40.00 set of sec. post from which

a W. Ash 7 in. diameter S 34 W 16 Ms. dist. 8

a Elm 18 " " " S 85 E 35 " "

80.00 set post cor. of sec. 12 & 13 from which

a W. Oak 36 in. diameter N 47 E 30 Ms. dist. 8

a Beech 14 " " " S 66 W 16 " "

Land rich & good for farming, timber Beech,
Sugar, Ash, Oak, Elm &c.

North on the E. Boundary of Sec. 12, T. 23 N., R. 3 W.

40.00 set of sec. post from which

a Sugar 11 in. diameter S 12 W 26 Ms. dist. 8

a Beech 30 " " " N 41 W 40 " "

80.00 set post cor. of sec. 10 & 12 from which

a Gum 3 in. diameter S 54 E 54 Ms. dist. 8

a W. Ash 8 " " " N 64 E 78 " "

Land similar to that on last mile

North on the E. Boundary of Sec. 1, T. 23 N., R. 3 W.

3.00 a Creek 150 Ms. wide runs W

40.00 set of sec. post from which

a Beech 24 in. diameter S 62 E 35 Ms. dist. 8

a Do 24 " " " West 8 " "

76.14 Intersect Township line 232 Ms. E. of temp. post -

T. 23 N., R. 2 W., S. Mer. Ind.?

Ehs. Ehs.

where a Poplar 12 in. dia. stands for cor. of T. 23 &
 24 N., R. 2 & 3 W. from which
 a Sugar 10 in. dia. bears S 65° W 8 lbs. dist.
 (no other Bearing tree)
 Good farming land, 2nd rate.
 Surveyed in 1819 by William Harris
 Dep. Surveyor.

Subdivision. Var. 6° 30' E.

North between Sec. 35 & 36, T. 23 N., R. 2 W.

23.60 a Sugar 22 in. dia.

35.70 a Stream 7 lbs. wide across 4th shallow & gentle

40.00 set of sec. part from which

a Sugar 10 in. dia. bears S 49° E 13 lbs. dist. 8

a Do 12 " " " N 63° W 20 " "

73.44 a Elm 10 " "

80.00 set part cor. of sec. 25, 26, 35 & 36 from which

a R. Elm 10 in. dia. bears N 62° W 17 lbs. dist. 8

a Beech 8 " " " S 44° E 19 " "

Land level 2nd rate, timber Hickory, W. Oak,
 R. Oak & W. Hickory, Ironwood &c.

East on Random between Sec. 25 & 36

40.00 set temp. of sec. part

79.85 Intersect E. Boundary 9 lbs. N. of part -

Land level 2nd rate, timber Hickory, Beech, W.
 & R. Oak & W. Hickory, Ironwood &c.

West Corrected between Sec. 25 & 36

22.77 a Beech 18 in. dia.

39.97 set of sec. part at aver. dist. from which

a Beech 10 in. dia. bears N 64° W 14 lbs. dist. 8

a Hickory 18 " " " S 80° E 27 " "

59.77 a Elm 30 " "

79.85 to sec. cor.

T. 23 N., R. 27 W. 2. Mer. Ind. a

Chp. Ind.

North between Sec. 25 & 26

23.38 a W. Oak 30 in. dia.

40.00 set gr. sec. post from which

an Ironwood 6 in. dia. bears S 59° W 6 lbs. dist. 3

a Do 6 " " " N 31° E 6 " "

55.10 a Stream 60 lbs. wide course N. shallow & rapid

61.00 a Sugar 18 in. dia.

80.00 set post cor. of sec. 23, 24, 25 & 26 from which

a Sugar 14 in. dia. bears N 17° E 21 lbs. dist. 3

a Do 16 " " " S 17° W 30 " "

Land level 2^d rate, timber Hickory, W. Oak,
Beech & Upr. Ironwood, Hazel &

East in Random between Sec. 24 & 25

40.00 set temp. gr. sec. post

79.88 Intersect E. Boundary 13 lbs. N. of post -

Land level 2^d rate, timber W. Oak, Hickory,
Beech & Upr. Hickory &

West Connected between Sec. 24 & 25

24.32 a Beech 15 in. dia.

39.94 set gr. sec. post at aver. dist. from which

a Hickory 28 in. dia. bears S 69° E 28 lbs. dist. 3

a Beech 28 " " " N 69° W 9 " "

61.73 a B. Walnut 28 " "

79.88 to sec. cor.

North between Sec. 23 & 24

25.00 a Sugar 15 in. dia.

40.00 set gr. sec. post in a small wet Prairie
(no bearing trees)

69.26 a B. Walnut 24 in. dia.

69.40 a Stream 7 lbs. wide course N 84° W. shallow
& gentle

80.00 set post cor. of sec. 13, 14, 23 & 24 from which

an Ironwood 10 in. dia. bears S 25° W 16 lbs. dist. 3

T. 23 N., R. 2 W. 2. Mer. Ind. a

Chs. 24,

an Ironwood 9 in. diameter N 69 W 12 hrs. dist.
 Sand level 2nd rate, timber Beech, W. Oak &
 Upr. Ironwood &

East on Rauden between Sec. 13 & 24

40.00 set temp. g. sec. post

79.68 Entered E. Boundary 5 hrs. S. of post -

Sand level 2nd rate, timber Hickory, Beech, W.
 Oak & Upr. Hickory &

West Corrected between Sec. 13 & 24

21.32 an Elm 32 in. dia.

39.84 set g. sec. post at aver. dist. from which

a Beech 15 in. diameter S 67 W 35 hrs. dist. S

a W. Oak 14 " " " N 86 E 22 " "

60.64 a W. Ash 18 " "

79.68 to sec. cor.

North between Sec. 13 & 14

2.56 a Stream 5 hrs. wide course W. rapid & shallow

26.45 a Sugar 20 in. dia.

40.00 set g. sec. post from which

a R. Oak 24 in. diameter S 62 E 16 hrs. dist. S

a Beech 20 " " " S 76 W 18 " "

62.64 a Spr 15 " "

80.00 set post cor. of sec. 11, 12, 13 & 14 from which

a Beech 14 in. diameter S 40 E 73 hrs. dist. S

a W. Maple 12 " " " N 40 W 69 " "

Sand level 2nd rate, timber W. Oak, Beech, Hick-
 ory & Upr. Hickory, Hazel &

East on Rauden between Sec. 12 & 13

40.00 set temp. g. sec. post

78.39 Entered E. Boundary 19 hrs. S. of post -

Sand 2nd rate, timber W. & R. Oak, Elm, Beech
 & Upr. Hickory, Ash & June 12. 1821

T. 23 N., R. 2 W. 2. Mer. Ind.?

Chs. Sh?

West Connected between Sec. 12 & 13

20.99 a Beech 14 in. dia.

39.19 set of sec. post from which

a Poplar 30 in. dia. bears N 52° W 6 lbs. dist. 8

a Beech 20 " " " S 52° E 31 " "

59.09 a Sugar 12 " "

78.38 to sec. cor.

North between Sec. 11 & 12

21.35 a Poplar 20 in. dia.

40.00 set of sec. post from which

a Beech 24 in. dia. bears S 5° E 16 lbs. dist. 8

a Spr 20 " " " N 22° E 6 " "

60.06 a Stream 20 lbs. wide course W. shallow & gentle

80.00 set post cor. of sec. 1, 2, 11 & 12 from which

a Beech 20 in. dia. bears S 61° E 7 lbs. dist. 8

a Sugar 24 " " " N 85° W 30 " "

Land level good 2nd rate, timber Poplar, Sugar,
H. Upr. Spruce &c.

East on Random between Sec. 11 & 12

40.00 set temp. of sec. post

78.39 Intersect E. Boundary 11 lbs. N. of post -

Land good 2nd rate, timber Poplar, W. Oak,

Beech, H. Upr. Spruce, Ash &c.

West Connected between Sec. 11 & 12

19.39 a Sugar 12 in. dia.

39.19 set of sec. post at aver. dist. from which

a Beech 20 in. dia. bears N 12° W 10 lbs. dist. 8

a Sugar 10 " " " S 29° W 6 " "

56.57 a Poplar 24 " "

78.39 to sec. cor.

North between Sec. 11 & 12

22.66 a Buckeye 12 in. dia.

T. 23 N., R. 2 W. T. Mer. Ind. a

Chr. Lhr.

33.20 a Stream 143 lbs. wide course N 45 W. deep
& gentle39.00 a Stream 139 lbs. wide course N 45 E. deep
& gentle

40.00 Set g. sec. post from which

a Lycium 6 in. dia. bears S 59 W 130 lbs. dist. 4

a Do 24 " " " N 19 W 86 " "

g. sec. post in stream

46.22 a Stream 148 lbs. wide course W. deep & gentle

61.32 a Beech 20 in. dia.

79.78 Intersect N. Boundary 121 lbs. E. of post -

set post at intersection cor. of sec. 16 & 2 from which

a Beech 20 in. dia. bears S 52 W 32 lbs. dist. 8

a Do 22 " " " N 86 E 20 " "

Land level T. rate, timber Walnut, Sugar
Poplar & V. Upr. Spice &c. June 13. 1831

North between Sec. 34 & 35

20.05 an Elm 24 in. dia.

40.00 Set g. sec. post from which

an Elm 20 in. dia. bears N 77 E 23 lbs. dist. 8

a Hickory 8 " " " North 21 " "

49.18 a Stream 25 lbs. wide course S 48 W. shallow & rapid

60.17 a B. Walnut 65 in. dia.

80.00 Set post cor. of sec. 26, 27, 34 & 35 from which

a W. Oak 36 in. dia. bears N 79 E 22 lbs. dist. 8

a Sugar 10 " " " S 79 W 41 " "

Land good 2^d rate, timber Sugar, Poplar, W. Oak
& V. Upr. Spice &c.

East on Raudon between Sec. 26 & 35

40.00 Set temp. g. sec. post

79.88 Intersect N. S. line 70 lbs. N. of post -

Land flat 2^d rate, timber W. Oak, Elm & V. Upr.
Ironwood &c.

T. 23. N., R. 2 W. 2. Mer. Ind. a
Elev. 24.

West Corrected between Sec. 26 & 35

18.62 a R. Oak 24 in. dia.

39.94 det g. sec. post at aver. dist. from which
an Elm 36 in. dia. bears S 42 E 45 lbs. dist. 8
a Beech 20 " " " N 42 W 14 " "

60.15 a Do. 14 " "

79.88 to sec. cor.

North between Sec. 26 & 27

22.95 an Ash 30 in. dia.

40.00 det g. sec. post from which
a Sugar 12 in. dia. bears N 33 W 34 lbs. dist. 8
a Do — " " " S 33 E 21 " "

62.32 a W. Oak 20 " "

80.00 det post cor. of sec. 22, 23, 26 & 27 from which
a Hickory 14 in. dia. bears S 25 E 12 lbs. dist. 8
a Sugar 12 " " " N 75 W 22 " "
Land level 2^d rate, timber Hickory, W. Oak,
Beech & Vly. Hickory &

East on Random between Sec. 23 & 26

26.13 a Stream 32 lbs. wide course N. shallow & rapid

37.54 a Do 30 " " " " " " gentle

39.77 a Do 8 " " " " " " "

40.00 det temp. g. sec. post

40.32 a Stream 25 lbs. wide course N W

80.24 Intersect N. S. line 96 lbs. N. of post —
Land good 2^d rate, timber Sugar, Ash, Beech,
& Vly. Spice &

West Corrected between Sec. 23 & 26

18.59 a Sugar 12 in. dia.

40.12 det g. sec. post at aver. dist. from which
a W. Walnut 20 in. dia. bears N 60 E 3 lbs. dist. 8
a Lynn 12 " " " S 60 W 4 " "

61.59 a W. Oak 30 " "

T. 23. N., R. 2 W. 2. Mer. Ind.?

Chs. Lhs.

80.24 to sec. cor. June 14. 1821

North between Sec. 22 & 23

21.00 a Stream 40 lbs. wide course W. rapid & deep

22.66 a Sycamore 26 in. dia.

40.00 set g. sec. post from which

a Beech 12 in. dia. bears N 68 E 5 lbs. dist. 8

a Do 15 " " " S 77 W 23 " "

63.77 a W. Oak 40 " "

79.43 a Stream 50 lbs. wide course W. deep & rapid

80.00 set post cor. of sec. 14, 15, 22 & 23 from which

a Gum 12 in. dia. bears S 13 W 54 lbs. dist. 8

a Sycamore 30 " " " N 20 E 62 " "

Land level good 2^d rate, timber Beech, Poplar,
Ash & Upr. Spruce.

East on Random between Sec. 14 & 23

8.88 a Stream 60 lbs. wide course S. rapid & deep

18.00 a Do 60 " " " N. " " "

77.31 a Do 50 " " " S. " " "

79.30 Intersect N & S line 106 lbs. N. of post -

Land level good 2^d rate, timber Ash, Beech, Hick-
ory, Poplar, Sugar &c.

West corrected between Sec. 14 & 23

19.08 a Beech 22 in. dia.

39.65 set g. sec. post at aver. dist. from which

a Sugar 22 in. dia. bears N 4 W 21 lbs. dist. 8

a B. Walnut 22 " " " S 83 E 37 " "

63.04 an Elm 28 " "

79.30 to sec. cor.

North between Sec. 14 & 15

22.72 a Sugar 22 in. dia.

40.00 set g. sec. post from which

an Ironwood 8 in. dia. bears S 18 W 32 lbs. dist. 8

T. 23 N., R. 2 W. 2. Mer. Ind. a.

Exp. Exp.

an Ironwood 6 in. diameter N 129 W 22 lbs. dist.

67.41 a R. Oak 30 " "

80.00 set post cor. of sec. 10, 11, 14 & 15 from which

a Beech 18 in. diameter N 37 E 18 lbs. dist. 8

a Buckeye 14 " " " S 70 W 30 " "

Land level 2. rate, timber Hickory, W. Oak, Beech,
Fr. Upr. Hickory, Dogwood &c.

East on Random between Sec. 11 & 14

40.00 set temp. of sec. post

78.90 Intersect N. S. line 100 lbs. N. of post -

Land level 2. rate, timber Hickory, Elm, W. Oak,
Fr. Upr. Ironwood &c.

West connected between Sec. 11 & 14

25.40 a Beech 12 in. dia.

39.45 a W. Oak 55 " " stands for q. sec. cor. at area,
dist. from which

a Beech 20 in. diameter West 60 lbs. dist. 8

a Do 11 " " " South 6 " "

63.14 a W. Oak 18 " "

78.90 to sec. cor.

North between Sec. 10 & 11

21.40 a R. Oak 22 in. dia.

22.59 enter wet Prairie

39.50 leave " "

40.00 set q. sec. post from which

a B. Walnut 14 in. diameter N 50 E 12 lbs. dist. 8

a W. Oak 26 " " " S 19 E 17 " "

67.00 a Do 22 " "

80.00 set post cor. of sec. 2, 3, 10 & 11 from which

a R. Oak 40 in. diameter N 26 W 15 lbs. dist. 8

a Poplar 28 " " " S 14 E 32 " "

Land level 2. rate, timber Hickory, W. Oak, Fr.
Upr. Hazel &c.

T. 23 N., R. 2 W. 2. Mer. Ind. a
Ch. 1. 1/2

East on Random between Sec. 2 & 11

40.00 set temp. g. sec. post

66.00 a Stream 8 1/2 lbs. wide course N 83 W. shallow & gentle

79.15 Interest N. G. line 91 lbs. N. of post -
Land level 2. rate, timber W. Oak, Beech,
Hickory & Upr. Hazel &c.

West Connected between Sec. 2 & 11

22.97 a Beech 24 in. dia.

39.57 set g. sec. post at aver. dist. from which
a Sugar 11 in. dia. bears N 68 E 32 lbs. dist. 8,
a Do 16 " " " S 72 W 16 " "

63.85 a Beech 26 " "

79.15 to sec. cor.

North between Sec. 2 & 3

26.22 a Beech 14 in. dia.

39.00 a Stream 106 lbs. wide course W. deep & rapid

40.00 set g. sec. post from which

a Elm 15 in. dia. bears N 79 W 31 lbs. dist. 8,

a W. Walnut 26 " " " N 45 E 27 " "

the post stands in the stream, a Spring in the
side of the bank 8 lbs. E. of the line

63.30 a R. Oak 26 1/2 in. dia.

79.50 Interest N. Boundary 354 lbs. E. of post -

set post at intersection cor. of Sec. 2 & 3 from which

a Sugar 22 in. dia. bears S 80 W 19 lbs. dist. 8,

a Cherry 6 " " " N 80 E 13 " "

Land good 2. rate, timber Sugar, Ash, Beech,
&c. Upr. Spice &c. June 15. 1821

North between Sec. 33 & 34

28.26 a Hickory 24 in. dia.

40.00 set g. sec. post from which

an Elm 26 in. dia. bears N 58 E 33 lbs. dist. 8

T. 23 N., R. 2 W. S. Mer. Ind. a.
Ch. Lhs.

a Beech 20 in. diameter S 34 W 14 lbs. dirt.
 64.50 a Do 16 " "
 80.00 dit port cor. of sec. 27, 28, 33 & 34 from which
 a Beech 20 in. diameter N 27 E 27 lbs. dirt. &
 a Do 22 " " " West 30 " "
 Land level 2^d rate, timber W. Oak, Beech, Hick-
 ory & Upr. Dogwood, Ash &

East on Random between Sec. 27 & 34

21.40 a Stream 22 lbs. wide course N 24 W. shallow
 rapid

40.00 dit temp. of sec. port

80.73 Interest N. & S. line 35 lbs. N. of port -
 Land level 2^d rate, timber Hickory, Beech, W.
 Oak & Upr. Dogwood, Ironwood &

West Corrected between Sec. 27 & 34

20.84 a Hickory 25 in. dia.

40.36 dit of sec. port at aver. dirt from which
 a Sugar 11 in. diameter S 70 E 4 lbs. dirt. &
 a Do 14 " " " N 66 W 11 " "

64.61 a Beech 28 " "

80.73 to sec. cor.

North between Sec. 27 & 28

18.14 a Stream 12 lbs. wide course S 74 W. shallow
 gentle

26.65 a Sugar 22 in. dia.

40.00 dit of sec. port from which
 a Sugar 13 in. diameter N 65 E 2 lbs. dirt. &
 an Elm 15 " " " S 48 W 11 " "

70.78 a Sugar 30 " "

80.00 dit port cor. of sec. 21, 22, 27 & 28 from which
 a Sugar 20 in. diameter S 60 E 8 lbs. dirt. &
 a Gum 20 " " " N 60 W 25 " "
 Land level good 2^d rate, timber Sugar, W. Oak,

T. 23 N., R. 2 W. 2. Mer. Ind. a.
 Ch. Ch.

Beesh & Upr. Spice, Ash &

East on Randon between Sect. 22 & 27

40.00 at temp. of sec. port

80.60 Intense N & S line 27 W. N. of port -

Land level good P. rate, timber Sugar, W. Oak,
 Ash & Upr. Spice, Ash &

West Connected between Sect. 22 & 27

22.25 a Lynn 15 in. dia.

40.30 at of sec. port at ar. dist. from which

a Sugar 22 in. dia. bears S 4 E 11 W. dist. 8

a L 8 " " " N 24 E 8 " "

62.80 a B. Walnut 28 in. dia.

80.60 to sec. cor.

North between Sect. 21 & 22

3.41 a Stream 8 W. wide curve W. shallow & gentle

21.25 a Lynn 8 in. dia.

40.00 at of sec. port from which

a Sugar 16 in. dia. bears N 45 W 4 W. dist. 8

a L 14 " " " N 88 E 16 " "

59.89 a Stream 10 W. wide curve S 52 W. shallow &
 rapid

73.37 a W. Oak 18 in. dia.

80.00 at port cor. of Sect. 15, 16, 21 & 22 from which

a W. Ash 8 in. dia. bears S 56 W 20 W. dist. 8

a Sugar 22 " " " N 46 E 13 " "

Land level P. rate, timber W & P. Oak, Beesh &
 Upr. Hickory &

East on Randon between Sect. 15 & 22

27.43 a Stream 45 W. wide curve S. rapid & shallow

40.00 at temp. of sec. port

48.14 a Stream 85 W. wide curve N 48 W. shallow
 & rapid

T. 23. N., R. 2 W. 2. Mer. Ind. a.
 Ch. Ch.

80.83 Intersect No. 1. line 58 hrs. N. of port -
 Land level 2. rate, timber W. Oak, Hickory & W. Y.
 Hickory, Hazel &c.

West Connected between Sec. 15 & 22

23.71 a Beech 14 in. dia.

40.46 Set of sec. port at aver. dist. from which
 a Sugar 22 in. dia. bears S 86° W 43 hrs. dist. 3
 a Beech 16 " " " S 40° E 32 " "

64.36 a W. Ash 20 " "

80.83 to sec. cor. June 16. 1821

North between Sec. 15 & 16

26.00 a Sugar 14 in. dia.

40.00 Set of sec. port from which
 a Hickory 10 in. dia. bears N 8° W 39 hrs. dist. 3
 an Elm 15 " " " S 16° E 21 " "

61.56 a R. Oak 45 " "

80.00 Set port cor. of sec. 9, 10, 15 & 16 from which
 a Gum 26 in. dia. bears S 42° E 23 hrs. dist. 3
 (no other Bearing tree)

Land level 2. rate, timber Hickory, W. Oak, Beech,
 & W. Y. Hickory, Spice &c.

East on Random between Sec. 10 & 15

40.00 Set temp. of sec. port

79.80 Intersect No. 1. line 30 hrs. N. of port -
 Land level 2. rate, timber Hickory, W. Oak, Beech,
 Elm & W. Y. Hickory, Hazel &c.

West Connected between Sec. 10 & 15

22.10 a Hickory 10 in. dia.

39.90 Set of sec. port at aver. dist. from which
 a Dogwood 6 in. dia. bears S 21° E 15 hrs. dist. 3
 an Elm 8 " " " N 21° E 8 " "

61.41 a W. Maple 22 " "

T. 23 N., R. 2 W. 2^d Mer. Ind.^a
 Ch. 24.

79.80 to sec. cor.

North between Sec. 9 & 10

22.30 a W. Oak 30 in. dia.

40.00 set of sec. post from which

a Beech 20 in. dia. bears S 69° W 20 lbs. dist. 8

a Sugar 18 " " " N 41° E 27 " "

65.18 an Elm 28 " "

80.00 set post cor. of sec. 3, 4, 9 & 10 from which

an Elm 15 in. dia. bears N 18° W 27 lbs. dist. 3

a Do 14 " " " S 49° E 11 " "

Land level 2^d rate, timber W. Oak, Hickory, Beech,
 & Upr. Hickory, Hazel &c.

East on Random between Sec. 3 & 10

40.00 set temp. of sec. post

80.08 Intersect N. & S. line 94 lbs. N. of post -

Land level 2^d rate, timber Hickory, W. Oak, Beech,
 Elm & Upr. Hickory, Hazel &c.

West Connected between Sec. 3 & 10

23.34 a Beech 14 in. dia.

40.04 set of sec. post at aver. dist. from which

a W. Oak 22 in. dia. bears N 67° W 15 lbs. dist. 8

a Beech 15 " " " S 69° E 29 " "

61.68 a W. Oak 38 " "

80.08 to sec. cor.

North between Sec. 3 & 4

19.79 a Stream 104 lbs. wide course W. deep & gentle

32.00 a W. Oak 28 in. dia.

40.00 set of sec. post from which

a Beech 18 in. dia. bears S 25° E 26 lbs. dist. 8

a Do 26 " " " N 2° W 62 " "

63.10 a Sugar 10 " "

79.48 Intersect N. Boundary 339 lbs. E. of post -

T. 23 N., R. 2 W. S. Mer. Ind.^a
Chs. Sh.

set post at intersection cor. of sec. 32 & 4 from which
 a Beech 23 in. dia bears N 52 W 32 lbs. dist. 8
 a Gum 6 " " " N 80 E 3 " "
 Land level; timber Hickory, W. Oak, Beech &
 Upr. Hickory, Hazel &c. June 17. 1821

North between Sec. 32 & 33

22.62 a Hickory 14 in. dia.

40.00 set of sec. post from which
 a Hickory 20 in. dia bears N 53 E 27 lbs. dist. 8
 a Do 6 " " " S 51 W 8 " "

61.63 a Sugar 34 " "

80.00 set post cor. of sec. 28, 29, 32 & 33 from which
 a Hickory 15 in. dia bears N 5 E 27 lbs. dist. 8
 a Do 22 " " " S 33 W 25 " "
 Land level good L. rate, timber Sugar, Ash,
 W. Oak - Upr. Spice &c.

East on Ransom between Sec. 28 & 33

40.00 set temp. of sec. post

79.56 Intersect N & S line 105 lbs. N. of post -
 Land level good L. rate, timber Sugar, Ash,
 Beech, W. Oak &c. Upr. Spice, Ash &c.

West Connected between Sec. 28 & 33

21.72 a Hickory 25 in. dia.

39.78 set of sec. post at aver. dist. from which
 an Elm 28 in. dia bears N 21 W 29 lbs. dist. 8
 a Do 11 " " " East 26 " "

59.64 a W. Oak 22 " "

79.56 to sec. cor.

North between Sec. 28 & 29

25.95 a W. Ash 28 in. dia.

40.00 set of sec. post from which
 a Beech 26 in. dia bears South 23 lbs. dist. 8

T. 23 N., R. 2 W. 3. Mer. Ind.?

Chas. H.

a Sugar 18 in. diameter N10 W 29 lbs. dist.
 57.93 a Do 18 " "
 80.00 set post cor. of sec. 20, 21, 28 & 29 from which
 a R. Hawth 8 in. diameter N20 W 32 lbs. dist. 2
 a Sugar 8 " " S30 E 25 " "
 Land level good L. rate, timber Sugar, Ash,
 W. Oak & Upr. Spruce, Ash &c.

East on Random between Sec. 21 & 28

25.40 a Stream 30 lbs. wide course N44 W. shallow
 & gentle

34.17 a Stream 12 lbs. wide course S. shallow & gentle

40.00 set temp. gr. sec. post

61.50 a Stream 9 lbs. wide course N50 W. shallow & gentle

79.64 Intersect N. S. line 42 lbs. N. of post -

Land level good L. rate, timber Sugar, Poplar
 & Upr. Spruce &c.

West Corrected between Sec. 21 & 28

21.62 a Lym 14 in. dia.

39.82 set gr. sec. post at aver. dist. from which
 a Lym 13 in. diameter N54 W 23 lbs. dist. 3

a Sugar 14 " " S15 W 9 " "

60.60 an Ironwood 6 in. dia.

79.64 to sec. cor.

North between Sec. 20 & 21

6.00 a Stream 30 lbs. wide course S49 W. shallow
 & gentle

23.81 a Beech 11 in. dia.

28.90 a Stream 38 lbs. wide course N78 W. shallow
 & gentle

40.00 set gr. sec. post from which

a Sugar 24 in. diameter S41 W 21 lbs. dist. 3

a Do 20 " " N29 E 23 " "

66.36 a W. Oak 40 " "

T. 23 N., R. 2 W. 2. Mer. Ind. a
 Ch. 21.

80.00 set part cen. of sec. 16, 17, 20 & 21 from which
 a W. Oak 55 in. diameter N53 W 51 lbs. dirt 8
 a Sugar 20 " " " S53 E 26 " "
 Land level good 2^d rate, timber Sugar, Beech, W.
 Oak & Upr. Spice &

East on Random between Sec. 16 & 21

40.00 set temp. g. sec. part
 79.77 Intersect N & S. line 12 lbs. N. of part -
 Land 2^d rate, timber Beech, Hickory, W. Oak,
 & Upr. Sumwood & June 18. 1821

West Connected between Sec. 16 & 21

25.11 an Elm 28 in. dia.
 39.88 set g. sec. part at aver. dirt. from which
 a Hickory 14 in. diameter N55 W 17 lbs. dirt 8
 a Lu 18 " " " S55 E 4 " "
 59.51 a Sugar 9 " "
 79.77 to sec. cen.

North between Sec. 16 & 17

28.90 a Beech 26 in. dia.
 40.00 set g. sec. part from which
 a W. Oak 28 in. diameter N60 E 81 lbs. dirt 8
 a Lu 30 " " " S60 W 7 " "
 80.00 set part cen. of sec. 8, 9, 16 & 17 from which
 a Poplar 44 in. diameter S31 W 18 lbs. dirt 8
 a W. Oak 20 " " " N88 E 28 " "
 Land level 2^d rate, timber W. Oak, Beech, Hick-
 ory & Upr. Sumwood &

East on Random between Sec. 9 & 16

40.00 set temp. g. sec. part
 79.63 Intersect N & S. line 28 lbs. N. of part -
 Land level 2^d rate, timber W & W. Oak, Beech,
 Hickory & Upr. Sumwood &

T. 23 N., R. 2 W. 2. Mer. Ind. a

Elev. Elev.

West Connected between Sec. 9 & 10

20.00 a W. Ark 18 in. dia.

39.81 set of sec. post at aver. dist. from which
a W. Ark 18 in. dia. bears N 15° W 19 lbs. dist. 8
an Elev 28 " " " S 44° W 42 " "

59.43 a Beech 12 " "

79.63 to sec. cor.

North between Sec. 8 & 9

21.30 a Spruce 26 in. dia.

40.00 set of sec. post from which
a W. Oak 36 in. dia. bears N 13° E 26 lbs. dist. 8
a Do 28 " " " S 13° W 42 " "

58.72 a Do 30 " "

80.00 set post cor. of sec. 4, 5, 8 & 9 from which
a W. Ark 18 in. dia. bears N 15° E 9 lbs. dist. 8
an Elev 6 " " " S 66° W 7 " "
Timber W. Oak, Hickory, Beech & Upr. Iron-
wood, Hickory &c.

East on Random between Sec. 4 & 9

0.32 a Stream 140 lbs. wide course N 40° W. 3 feet
deep, gentle25.81 a Stream 188 lbs. wide course S 48° W. shallow
& gentle

40.00 set temp. of sec. post

79.74 Intersect N & S line 15 lbs. S. of post -
Land level T. Pate, timber Sugar, Buckeye,
B. Walnut & Upr. Spruce &c.

West Connected between Sec. 4 & 9

21.50 a Beech 20 in. dia.

39.87 set of sec. post at aver. dist. from which
a Sugar 6 in. dia. bears N 85° E 14 lbs. dist. 8
a Do 7 " " " S 65° W 16 " "

62.55 a W. Ark 28 " "

T. 23 N., R. 2 W. 2. Mer. Ind. a

Chs. 42.

79.74 to sec. cen.

North between Sect. 4 & 5

0.41 a Stream 138 lbs. wide course N 40 W. 3 feet deep
gentle

25.53 a Sugar 30 in. dia.

40.00 at q. sec. post from which

a Beech 16 in. dia. bears N 5 W 15 lbs. dist. 3

a B. Walnut 26 " " " S 57 E 9 " "

57.95 a Poplar 30 " "

77.47 Intersect N. Boundary 390 lbs. E. of post -

set post at intersection cen. of sec. 4 & 5 from which

a Spruce 18 in. dia. bears S 67 E 13 lbs. dist. 3

an Elm 28 " " " S 80 W 17 " "

Land level 2^d rate, timber Hickory, Beech,

W & R. Oak & Upr. Ironwood, Hickory &

June 19. 1821

North between Sect. 31 & 32

24.29 a W. Oak 22 in. dia.

40.00 at q. sec. post from which

a Sugar 10 in. dia. bears N 18 E 35 lbs. dist. 3

a Hickory 20 " " " S 20 W 11 " "

61.52 a Sugar 23 " "

80.00 set post cen. of sec. 29, 30, 31 & 32 from which

an Ironwood 5 in. dia. bears S 3 W 23 lbs. dist. 3

a W. Walnut 20 " " " N 17 E 9 " "

Land level 1st rate, timber B. Walnut, Ash, Buck
eye & Upr. Spruce &

Post on Random between Sec. 29 & 32

40.00 set temp. q. sec. post

79.73 Intersect N. & S. line 34 lbs. S. of post -

Land 1st 1/2 mile 1st rate, timber Sugar, Ash,

B. Walnut & Upr. Spruce & 2nd 1/2 mile 2nd rate,

timber W & R. Oak, Beech, Hickory & Upr. Ironwood &

T 23 N., R. 2 W. T. Mer. Ind. a

Chs. Sh.

West Connected between Sec. 29 & 32

24.22 a W. Oak 28 in. dia.

39.86 set g. sec. post at aver. dist. from wharf

a Sugar 20 in. dia. bears N 9 E 14 lbs. dist. 3

a Do 19 " " " East 37 " "

59.79 a W. Oak 44 " "

79.73 to sec. cor.

North between Sec. 29 & 30

27.18 a Sugar 16 in. dia.

40.00 set g. sec. post from wharf

a Sugar 14 in. dia. bears S 13 E 4 lbs. dist. 3

a Do 12 " " " N 13 W 24 " "

55.00 a Stream 30 lbs. wide course N. 18 in. deep, gentle

64.32 a Hackberry 26 in. dia.

80.00 set post cor. of sec. 19, 20, 29 & 30 from wharf

an Ironwood 7 in. dia. bears S 2 W 14 lbs. dist. 3

a Do 6 " " " N 9 E 30 " "

Land level, T. 1/2 mile T. rate, timber B. Walnut

Sugar, Ash & Upr. Spice & 1/2 mile 2. rate,

timber W. Oak, Hickory & Upr. Ironwood &

East on Random between Sec. 20 & 29

40.00 set temp. g. sec. post

51.32 a Stream 45 lbs. wide course S 80 W. 18 in. deep
gentle

80.76 Intersect N. S. line 5 lbs. S. of post -

Land T. rate, timber Beech, B. Walnut, Sugar,

Ash & Upr. Spice &

West Connected between Sec. 20 & 29

23.63 a Buckeye 16 in. dia.

40.36 set g. sec. post at aver. dist. from wharf

a R. Hawth 8 in. dia. bears S 35 W 18 lbs. dist. 3

a W. Ash 4 " " " S 45 E 21 " "

62.42 an Aspen 13 " "

T. 23 N., R. 2 W. 2. Mer. Ind.^a
Ch. 11.

80.76 to sec. cen.

North between Sect. 19 & 20

21.45 a Beech 24 in. dia.

40.00 set of g. sec. port from which

a Beech 16 in. dia. bears N 85 E 27 W. dist. 28

a Do 22 " " " N 69 W 34 " "

59.04 a Do 21 " "

80.00 set port cen. of sect. 17, 18, 19 & 20 from which

a W. Oak 8 in. dia. bears S 43 W 14 W. dist. 28

a Beech 16 " " " S 79 E 28 " "

Land level 2. rate, timbered Sugar, Poplar, Beech,
v. Upr. Spice v.

East on Random between Sect. 17 & 20

40.00 set temp. of. sec. port

80.70 Intersect N & S. line 39 W. N. of port -

Land level 2. rate, timber W. Oak, Hickory,
Beech v. Upr. Hickory, Ironwood v.

West Corrected between Sect. 17 & 20

22.18 a R. Oak 50 in. dia.

40.55 set of g. sec. port at aver. dist. from which

a W. Oak 18 in. dia. bears N 63 E 25 W. dist. 3

a Do 10 " " " West 14 " "

62.60 a Do 30 " "

80.70 to sec. cen.

North between Sect. 17 & 18

24.00 a Beech 26 in. dia.

40.00 set of g. sec. port from which

a Beech 22 in. dia. bears S 6 W 17 W. dist. 28

a W. Oak 30 " " " N 10 E 46 " "

68.20 a R. Oak 23 " "

80.00 set port cen. of sect. 17, 18, 17 & 18 from which

a Sugar 18 in. dia. bears S 83 E 11 W. dist. 28

T. 23 N., R. 2 W. 2. Mer. Ind.
Chr. 24.

a Sugar 20 in. dis. bears S 65 W 44 lbs. dirt.
Land level 2^d rate, timber W. Oak, Beech, Hickory
& Upr. Hickory &c.

East on Random between Sec. 8 & 17

40.00 bet temp. q. sec. post

80.27 Intersect N & S. line 20 lbs. S. of post -

Land level 2^d rate, timber W & R. Oak, Hickory,
& Upr. Hickory &c.

West Connected between Sec. 8 & 17

20.35 a W. Ash 20 in. dis.

40.13 bet q. sec. post at area. dirt. from which

a Beech 18 in. dis. bears S 44 W 41 lbs. dirt. 3

a Do 16 " " " N 41 E 24 " "

65.05 a Lynn 10 " "

80.27 to sec. cor. June 20, 1821

North between Sec. 7 & 8

19.70 a W. Ash 20 in. dis.

40.00 bet q. sec. post from which

a Beech 22 in. dis. bears S 72 E 18 lbs. dirt. 3

a Sugar 18 " " " N 34 W 18 " "

51.12 a Spring 10 lbs. E. of the line

58.77 a W. Ash 25 in. dis.

80.00 bet post cor. of sec. 5, 6, 7 & 8 from which

a W. Oak 10 in. dis. bears N 81 E 46 lbs. dirt. 2

a Buckeye 9 " " " S 89 W 18 " "

Land level good 2^d rate, timber Sugar, Beech,
Poplar & Upr. Spice &c.

East on Random between Sec. 5 & 8

5.67 a Stream 188 lbs. wide course N. 20 in. deep,
gentle

40.00 bet temp. q. sec. post

54.00 a Stream 157 lbs. wide course S 38 W. a good

Chs. Chs. T. 23. N., R. 2 W. 2. Mer. Ind. a

mill seat, ^{fall} of 30 in. nearly perpendicular
80.41 Entered N. & S. line 64 lbs. S. of port -
Land 1. ^{rate} bottom, timber B. Walnut, Bucke-
eye, Sugar & Upr. Spice &c.

West Corrected between Sec. 5 & 8

17.90 a Beech 9 in. dia.

40.20 set of sec. port at aver. dist. from which
a B. Oak 18 in. dia. leans N 74 E 25 lbs. dist. 8
a Sugar 23 " " " S 44 W 19 " "

78.66 a Do 26 " "

80.41 to sec. cor.

North between Sec. 5 & 6

22.05 a W. Elm 50 in. dia.

37.00 a Stream 109 lbs. wide course S 36 W. 3 feet deep
rapid

40.00 set of sec. port from which
an Ironwood 7 in. dia. leans N 3 E 8 lbs. dist. 8
a Mulberry 10 " " " S 39 W 4 " "

62.41 a Lym 11 " "

78.67 Entered N. Boundary 370 lbs. E. of port -
set port at intersection cor. of sec. 5 & 6 from which
a Beech 28 in. dia. leans N 37 W 6 lbs. dist. 8
a Do 11 " " " S 37 E 50 " "
Land 1. ^{rate} 1/2 mile rich bottom - 2 1/2 mile 2. ^{rate}
timber Beech, Sugar, B. Walnut & Upr. Spice,
Hickory &c.

West between Sec. 6 & 7

13.00 a Stream 165 lbs. wide course S 35 W. 5 1/2 feet
deep, gentle

21.23 a Hackberry 18 in. dia.

40.00 set of sec. port from which
a B. Walnut 30 in. dia. leans S 87 W 11 lbs. dist. 8
a Hickory 22 " " " S 67 E 29 " "

T. B. N., R. 2 W. 2. Mer. Ind.?

Ch. E. 1.

48.56 a Stream 123 yds. wide course N. 4 feet deep,
gentle

59.46 a Hickory 18 in. dia.

84.95 Intersect W. Boundary 109 yds. S. of port -

set post at intersection cor. of sec. 6 & 7 from which
a Lycamore 30 in. dia. bears N 83 E 25 yds. dist. &

a Buckeye 12 " " " S 39 E 55 " "

Land level 1. rate, timber Sugar, Walnut, Buck-
eye & Upr. Spruce

West between Sec. 7 & 18

32.00 a W. Oak 4 in. dia.

40.00 set of sec. post from which

a W. Oak 30 in. dia. bears N 39 W 24 yds. dist. &

a B. Walnut 20 " " " S 47 E 31 " "

69.78 a Beech 26 " "

81.29 Intersect W. Boundary 103 yds. S. of port -

set post at intersection cor. of sec. 7 & 18 from which

a W. Oak 28 in. dia. bears N 55 E 15 yds. dist. &

a Beech 26 " " " S 60 E 22 " "

Land level 2. rate, timber W. Oak, Beech, Hick-
ory & Upr. Hickory &

West between Sec. 18 & 19

— a W. Oak 48 in. dia.

30.50 enter wet Prairie

40.00 set of sec. post in wet Prairie

(no Bearing trees)

70.20 leave Prairie

74.02 a S. Ash 4 in. dia.

81.04 Intersect W. Boundary 32 yds. S. of port -

set post at intersection cor. of sec. 18 & 19 from which

a Hickory 10 in. dia. bears N 87 E 54 yds. dist. &

a W. Oak 24 " " " S 29 W 52 " "

Land low wet, timber S. Ash, Elm, Upr.
Water Beech &

T. 23 N., R. 2 W. S. Mer. Ind. a.

Chs. Ch.

West between Secs. 19 & 30

29.00 enter wet Prairie

40.00 set of sec. post from which

a R. Oak 16 in. dia bears N 88° W 39 7/8 m. dist.

(no other Bearing tree) post in wet Prairie

44.30 leave Prairie

52.95 a R. Oak 12 in. dia.

80.63 Intersect W. Boundary 41 m. S. of post -

set post at intersection Cn. of Sec. 19 & 30 from which

a W. Oak 18 in. dia bears N 60° E 74 m. dist. 3

a R. Oak 10 " " " S 33° E 146 " "

Land flat & wet, timber S. Ash, Elm & Upr.

Ironwood &c.

West between Secs. 30 & 31

23.50 a Sugar 20 in. dia.

40.00 set of sec. post from which

a Beech 22 in. dia bears S 78° E 25 m. dist. 3

a Sugar 20 " " " N 28° W 23 " "

66.13 a Do 23 " "

80.84 Intersect W. Boundary 26 m. S. of post -

set post at intersection Cn. of Secs. 30 & 31 from

which a W. Maple 18 in. dia bears S 37° W 14 m. dist.

& a Beech 6 " " " N 37° E 14 " "

Land level, T. Prato, timber Sugar, B. Walnut, Ash & Upr. Spice &c.

June 21. 1821. Surveyed by

Josiah F. Polk

Dep. Surveyor.

I certify that the foregoing transcript of
Field Notes of the survey of Township N. 23
North, in Range N. 2 West of the 2. Principal
Meridian, in the State of Indiana, has
been compared with the original on file
in this office, and found to be correct.
Surveyor General's Office,
Cincinnati, Oct. 6. 1842 }

William Johnston
Sur. Genl.